



| | |
|-----------------|---|
| Set Code: | 01.211.043E |
| Set Barcode: |  (01)10886982260406 |
| Description: | 3.5MM VA-LCP MEDIAL COLUMN FUSION INSTR & IMPL SET-EVAL |
| Case Report ID: | |


Primary Tray

| | Product # | Product Desc. | QTY | UDI-DI | UDI Barcode |
|----|------------|---|-----|----------------|---|
| 1 | 02.127.112 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/12MM | 3 | 10886982043108 |  (01)10886982043108 |
| 2 | 02.127.114 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/14MM | 3 | 10886982043115 |  (01)10886982043115 |
| 3 | 02.127.116 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/16MM | 3 | 10886982043122 |  (01)10886982043122 |
| 4 | 02.127.118 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/18MM | 3 | 10886982043139 |  (01)10886982043139 |
| 5 | 02.127.120 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/20MM | 3 | 10886982043146 |  (01)10886982043146 |
| 6 | 02.127.122 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/22MM | 3 | 10886982043153 |  (01)10886982043153 |
| 7 | 02.127.124 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/24MM | 3 | 10886982043160 |  (01)10886982043160 |
| 8 | 02.127.126 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/26MM | 3 | 10886982043177 |  (01)10886982043177 |
| 9 | 02.127.128 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/28MM | 3 | 10886982043184 |  (01)10886982043184 |
| 10 | 02.127.130 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/30MM | 3 | 10886982043191 |  (01)10886982043191 |
| 11 | 02.127.132 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/32MM | 3 | 10886982043207 |  (01)10886982043207 |
| 12 | 02.127.134 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/34MM | 3 | 10886982043214 |  (01)10886982043214 |

| | |
|-----------------|---|
| Set Code: | 01.211.043E |
| Set Barcode: |  (01)10886982260406 |
| Description: | 3.5MM VA-LCP MEDIAL COLUMN FUSION INSTR & IMPL SET-EVAL |
| Case Report ID: | |


Primary Tray

| | Product # | Product Desc. | QTY | UDI-DI | UDI Barcode |
|----|------------|---|-----|----------------|---|
| 13 | 02.127.136 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/36MM | 3 | 10886982043221 |  (01)10886982043221 |
| 14 | 02.127.138 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/38MM | 3 | 10886982043238 |  (01)10886982043238 |
| 15 | 02.127.140 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/40MM | 3 | 10886982043245 |  (01)10886982043245 |
| 16 | 02.127.142 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/42MM | 2 | 10886982043252 |  (01)10886982043252 |
| 17 | 02.127.144 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/44MM | 2 | 10886982043269 |  (01)10886982043269 |
| 18 | 02.127.146 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/46MM | 2 | 10886982043276 |  (01)10886982043276 |
| 19 | 02.127.148 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/48MM | 2 | 10886982043283 |  (01)10886982043283 |
| 20 | 02.127.150 | 3.5MM VARIABLE ANGLE LOCKING SCREW/SLF-TPNG/STRDRV/50MM | 2 | 10886982043290 |  (01)10886982043290 |
| 21 | 02.206.212 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/12MM | 2 | 10886982050908 |  (01)10886982050908 |
| 22 | 02.206.214 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/14MM | 2 | 10886982050922 |  (01)10886982050922 |
| 23 | 02.206.216 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/16MM | 2 | 10886982050946 |  (01)10886982050946 |
| 24 | 02.206.218 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/18MM | 2 | 10886982050960 |  (01)10886982050960 |
| 25 | 02.206.220 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/20MM | 2 | 10886982050984 |  (01)10886982050984 |

| | |
|-----------------|---|
| Set Code: | 01.211.043E |
| Set Barcode: |  (01)10886982260406 |
| Description: | 3.5MM VA-LCP MEDIAL COLUMN FUSION INSTR & IMPL SET-EVAL |
| Case Report ID: | |


Primary Tray

| | Product # | Product Desc. | QTY | UDI-DI | UDI Barcode |
|----|------------|---|-----|----------------|---|
| 26 | 02.206.222 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/22MM | 2 | 10886982051004 |  (01)10886982051004 |
| 27 | 02.206.224 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/24MM | 2 | 10886982051028 |  (01)10886982051028 |
| 28 | 02.206.226 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/26MM | 2 | 10886982051042 |  (01)10886982051042 |
| 29 | 02.206.228 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/28MM | 2 | 10886982051066 |  (01)10886982051066 |
| 30 | 02.206.230 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/30MM | 2 | 10886982051080 |  (01)10886982051080 |
| 31 | 02.206.232 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/32MM | 2 | 10886982051103 |  (01)10886982051103 |
| 32 | 02.206.234 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/34MM | 2 | 10886982051127 |  (01)10886982051127 |
| 33 | 02.206.236 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/36MM | 2 | 10886982051141 |  (01)10886982051141 |
| 34 | 02.206.238 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/38MM | 2 | 10886982051165 |  (01)10886982051165 |
| 35 | 02.206.240 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/40MM | 2 | 10886982051189 |  (01)10886982051189 |
| 36 | 02.206.242 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/42MM | 2 | 10886982051202 |  (01)10886982051202 |
| 37 | 02.206.244 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/44MM | 2 | 10886982051226 |  (01)10886982051226 |
| 38 | 02.206.246 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/46MM | 2 | 10886982051264 |  (01)10886982051264 |











| | |
|-----------------|---|
| Set Code: | 01.211.043E |
| Set Barcode: |  (01)10886982260406 |
| Description: | 3.5MM VA-LCP MEDIAL COLUMN FUSION INSTR & IMPL SET-EVAL |
| Case Report ID: | |


Primary Tray

| | Product # | Product Desc. | QTY | UDI-DI | UDI Barcode |
|----|------------|---|-----|----------------|---|
| 39 | 02.206.248 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/48MM | 2 | 10886982051288 |  (01)10886982051288 |
| 40 | 02.206.250 | 3.5MM CRTX SCREW/LOW PROF HD SELF-TAPPING/STAR DRIVE/50MM | 2 | 10886982051301 |  (01)10886982051301 |
| 41 | 02.211.416 | 3.5MM VA-LCP MEDIAL COLUMN FUSION PLATE 78MM RIGHT | 1 | 10886982055088 |  (01)10886982055088 |
| 42 | 02.211.417 | 3.5MM VA-LCP MEDIAL COLUMN FUSION PLATE 78MM LEFT | 1 | 10886982055101 |  (01)10886982055101 |
| 43 | 02.211.418 | 3.5MM VA-LCP MEDIAL COLUMN FUSION PLANTAR PLATE 78MM RT | 1 | 10886982055125 |  (01)10886982055125 |
| 44 | 02.211.419 | 3.5MM VA-LCP MEDIAL COLUMN FUSION PLANTAR PLATE 78MM LT | 1 | 10886982055149 |  (01)10886982055149 |
| 45 | 02.211.420 | 3.5MM VA-LCP MEDIAL COLUMN FUSION PLATE 95MM RIGHT | 1 | 10886982055163 |  (01)10886982055163 |
| 46 | 02.211.421 | 3.5MM VA-LCP MEDIAL COLUMN FUSION PLATE 95MM LEFT | 1 | 10886982055187 |  (01)10886982055187 |
| 47 | 03.111.038 | HANDLE WITH QUICK COUPLING | 1 | 10886982072368 |  (01)10886982072368 |
| 48 | 03.113.024 | 2.8MM CALIBRATED DRILL BIT QC 250MM/95MM | 1 | 10886982072900 |  (01)10886982072900 |
| 49 | 03.118.002 | LARGE COMPRESSION FORCEPS WITH SPEED LOCK | 1 | 10886982073310 |  (01)10886982073310 |
| 50 | 03.118.005 | 3.5MM COMPRESSION/DISTRACTION POST/FOR VA-LOCKING HOLE | 2 | 10886982073341 |  (01)10886982073341 |
| 51 | 03.118.015 | 2.8MM COMPRESSION WIRE 15MM THREAD/200MM LENGTH | 2 | 10886982073419 |  (01)10886982073419 |

| | |
|-----------------|---|
| Set Code: | 01.211.043E |
| Set Barcode: |  (01)10886982260406 |
| Description: | 3.5MM VA-LCP MEDIAL COLUMN FUSION INSTR & IMPL SET-EVAL |
| Case Report ID: | |

 **Primary Tray**

| | Product # | Product Desc. | QTY | UDI-DI | UDI Barcode |
|----|------------|---|-----|----------------|---|
| 52 | 03.118.020 | 2.8MM COMPRESSION WIRE 20MM THREAD/200MM LENGTH | 2 | 10886982073433 |  (01)10886982073433 |
| 53 | 03.118.025 | 2.8MM COMPRESSION WIRE 25MM THREAD/200MM LENGTH | 2 | 10886982073457 |  (01)10886982073457 |
| 54 | 03.118.030 | 2.8MM COMPRESSION WIRE 30MM THREAD/200MM LENGTH | 2 | 10886982073471 |  (01)10886982073471 |
| 55 | 03.118.035 | 2.8MM COMPRESSION WIRE 35MM THREAD/200MM LENGTH | 2 | 10886982073495 |  (01)10886982073495 |
| 56 | 03.118.040 | 2.8MM COMPRESSION WIRE 40MM THREAD/200MM LENGTH | 2 | 10886982073518 |  (01)10886982073518 |
| 57 | 03.127.001 | 2.8MM FIXED ANGLE DRILL GUIDE | 1 | 10886982075017 |  (01)10886982075017 |
| 58 | 03.127.002 | 2.8MM VARIABLE ANGLE DOUBLE DRILL GUIDE WITH CONE | 1 | 10886982075024 |  (01)10886982075024 |
| 59 | 03.127.004 | 2.8MM VA SPHERICAL DRILL GUIDE-LONG | 1 | 10886982075048 |  (01)10886982075048 |
| 60 | 03.127.016 | 2.5NM TORQUE LIMITING HANDLE WITH QC | 1 | 10886982075161 |  (01)10886982075161 |
| 61 | 292.16 | 1.6MM KIRSCHNER WIRE W/TROCAR POINT 150MM | 1 | 20886982180374 |  (01)20886982180374 |
| 62 | 310.23 | 2.5MM DRILL BIT/QC/GOLD/180MM | 2 | 10886982186263 |  (01)10886982186263 |
| 63 | 310.288 | 2.8MM DRILL BIT/QC/165MM | 2 | 10886982186423 |  (01)10886982186423 |
| 64 | 310.35 | 3.5MM DRILL BIT/QC/110MM | 2 | 10886982186515 |  (01)10886982186515 |

| | |
|-----------------|---|
| Set Code: | 01.211.043E |
| Set Barcode: |  (01)10886982260406 |
| Description: | 3.5MM VA-LCP MEDIAL COLUMN FUSION INSTR & IMPL SET-EVAL |
| Case Report ID: | |

 Primary Tray

| | Product # | Product Desc. | QTY | UDI-DI | UDI Barcode |
|----|------------|---|-----|----------------|---|
| 65 | 312.28 | 3.5MM/2.5MM DOUBLE DRILL SLEEVE | 1 | 10886982187703 |  (01)10886982187703 |
| 66 | 314.116 | STARDRIVE SCREWDRIVER SHAFT QC/T15 | 2 | 10886982188540 |  (01)10886982188540 |
| 67 | 319.09 | DEPTH GAUGE FOR SMALL SCREWS | 1 | 10886982189998 |  (01)10886982189998 |
| 68 | 319.97 | SCREW FORCEPS | 1 | 10886982190352 |  (01)10886982190352 |
| 69 | 329.04 | BENDING IRON FOR 2.7MM & 3.5MM PLATES | 1 | 10886982191731 |  (01)10886982191731 |
| 70 | 329.05 | BENDING IRON FOR 2.7MM & 3.5MM PLATES | 1 | 10886982191748 |  (01)10886982191748 |
| 71 | 60.116.019 | SUPPORT POSTS FOR SCREW RACK F/MODULAR GRAPHIC CASES | 1 | 20886982243826 |  (01)20886982243826 |
| 72 | 60.211.026 | TRAY F/3.5MM VA-LCP MEDIAL COLUMN FUSION PLATES & INSTR | 1 | 10886982256744 |  (01)10886982256744 |
| 73 | 60.211.027 | SCREW RACK F/3.5MM VA-LOCKING/ 3.5MM CRTX LOW PROF HEAD SCR | 1 | 10886982256751 |  (01)10886982256751 |
| 74 | 60.211.028 | TRAY F/LARGE COMPRESSION/ DISTRACTION FORCEPS & INSTR | 1 | 10886982256768 |  (01)10886982256768 |
| 75 | 60.211.034 | LABEL PACK F/3.5MM VA-LCP MEDIAL COLUMN FUSION PLATE SET | 1 | 10886982256805 |  (01)10886982256805 |
| 76 | 61.116.034 | GRAPHIC CASE/FULL LENGTH 2 HIGH | 1 | 10886982250308 |  (01)10886982250308 |