

|                 |                                                                                                         |
|-----------------|---------------------------------------------------------------------------------------------------------|
| Set Code:       | 01.312.005E                                                                                             |
| Set Barcode:    | <br>(01)10886982278715 |
| Description:    | MAXFRAME(TM) SYSTEM LEAN SET EVAL                                                                       |
| Case Report ID: |                                                                                                         |

 **Primary Tray**

|    | Product #     | Product Desc.                           | QTY | UDI-DI         | UDI Barcode                                                                                                 |
|----|---------------|-----------------------------------------|-----|----------------|-------------------------------------------------------------------------------------------------------------|
| 1  | 03.311.023    | CONNECTING PLATE/90° OFFSET 3 HOLE      | 3   | 10886982077936 | <br>(01)10886982077936   |
| 2  | 03.311.024    | CONNECTING PLATE/90° OFFSET 4 HOLE      | 3   | 10886982077943 | <br>(01)10886982077943   |
| 3  | 03.311.056    | CONNECTION BOLT/LONG                    | 20  | 10886982078124 | <br>(01)10886982078124   |
| 4  | 03.311.058    | SCHANZ SCREW BOLT CANNULATED RING MOUNT | 5   | 10886982078131 | <br>(01)10886982078131   |
| 5  | 03.311.059    | SCHANZ SCREW BOLT CANNULATED POST MOUNT | 5   | 10886982078148 | <br>(01)10886982078148  |
| 6  | 03.311.061.10 | NUT 10 PACK                             | 4   | 20886982078176 | <br>(01)20886982078176 |
| 7  | 03.311.172    | WIRE POST/2 HOLE                        | 3   | 10886982078384 | <br>(01)10886982078384 |
| 8  | 03.311.173    | WIRE POST/3 HOLE                        | 3   | 10886982078391 | <br>(01)10886982078391 |
| 9  | 03.311.174    | WIRE POST/4 HOLE                        | 3   | 10886982078407 | <br>(01)10886982078407 |
| 10 | 03.311.213    | CONNECTING PLATE/THREADED 3 HOLE        | 3   | 10886982078490 | <br>(01)10886982078490 |
| 11 | 03.311.214    | CONNECTING PLATE/THREADED 4 HOLE        | 3   | 10886982078506 | <br>(01)10886982078506 |
| 12 | 03.311.312    | TI HALF RING/120MM DIAMETER             | 2   | 10886982078599 | <br>(01)10886982078599 |

|                 |                                                                                                         |
|-----------------|---------------------------------------------------------------------------------------------------------|
| Set Code:       | 01.312.005E                                                                                             |
| Set Barcode:    | <br>(01)10886982278715 |
| Description:    | MAXFRAME(TM) SYSTEM LEAN SET EVAL                                                                       |
| Case Report ID: |                                                                                                         |

### Primary Tray

|    | Product #  | Product Desc.                                | QTY | UDI-DI         | UDI Barcode                                                                                                 |
|----|------------|----------------------------------------------|-----|----------------|-------------------------------------------------------------------------------------------------------------|
| 13 | 03.311.315 | TI HALF RING/150MM DIAMETER                  | 2   | 10886982078629 | <br>(01)10886982078629   |
| 14 | 03.311.318 | TI HALF RING/180MM DIAMETER                  | 2   | 10886982078643 | <br>(01)10886982078643   |
| 15 | 03.311.320 | TI HALF RING/200MM DIAMETER                  | 2   | 10886982078650 | <br>(01)10886982078650   |
| 16 | 03.312.001 | WIRE TENSIONER                               | 2   | 10886982261106 | <br>(01)10886982261106   |
| 17 | 03.312.090 | MAXFRAME(TM) FULL RING 90MM/ALUMINUM         | 3   | 10886982260710 | <br>(01)10886982260710  |
| 18 | 03.312.120 | MAXFRAME(TM) FULL RING 120MM ALUMINUM        | 4   | 10886982260802 | <br>(01)10886982260802 |
| 19 | 03.312.141 | MAXFRAME(TM) FOOT PLATE SHORT 120MM/ALUMINUM | 1   | 10886982260697 | <br>(01)10886982260697 |
| 20 | 03.312.150 | MAXFRAME(TM) FULL RING 150MM ALUMINUM        | 3   | 10886982260819 | <br>(01)10886982260819 |
| 21 | 03.312.161 | MAXFRAME(TM) FOOT PLATE SHORT 150MM/ALUMINUM | 1   | 10886982260703 | <br>(01)10886982260703 |
| 22 | 03.312.180 | MAXFRAME(TM) FULL RING 180MM ALUMINUM        | 3   | 10886982260826 | <br>(01)10886982260826 |
| 23 | 03.312.181 | MAXFRAME(TM) FOOT PLATE SHORT 180MM/ALUMINUM | 1   | 10886982260727 | <br>(01)10886982260727 |
| 24 | 03.312.201 | MAXFRAME(TM) FOOT PLATE SHORT 210MM/ALUMINUM | 1   | 10886982260734 | <br>(01)10886982260734 |
| 25 | 03.312.210 | MAXFRAME(TM) FULL RING 210MM ALUMINUM        | 3   | 10886982260833 | <br>(01)10886982260833 |

|                 |                                                                                                         |
|-----------------|---------------------------------------------------------------------------------------------------------|
| Set Code:       | 01.312.005E                                                                                             |
| Set Barcode:    | <br>(01)10886982278715 |
| Description:    | MAXFRAME(TM) SYSTEM LEAN SET EVAL                                                                       |
| Case Report ID: |                                                                                                         |

### Primary Tray

|    | Product #  | Product Desc.                                           | QTY | UDI-DI         | UDI Barcode                                                                                                 |
|----|------------|---------------------------------------------------------|-----|----------------|-------------------------------------------------------------------------------------------------------------|
| 26 | 03.312.241 | MAXFRAME(TM) FOOT PLATE LONG 120MM/ALUMINUM             | 1   | 10886982260659 | <br>(01)10886982260659   |
| 27 | 03.312.261 | MAXFRAME(TM) FOOT PLATE LONG 150MM/ALUMINUM             | 1   | 10886982260666 | <br>(01)10886982260666   |
| 28 | 03.312.281 | MAXFRAME(TM) FOOT PLATE LONG 180MM/ALUMINUM             | 1   | 10886982260673 | <br>(01)10886982260673   |
| 29 | 03.312.301 | MAXFRAME(TM) FOOT PLATE LONG 210MM/ALUMINUM             | 1   | 10886982260680 | <br>(01)10886982260680   |
| 30 | 03.312.350 | MAXFRAME(TM) BRIDGING PLATE FOR 5/8 RING 150MM/ALUMINUM | 1   | 10886982260864 | <br>(01)10886982260864  |
| 31 | 03.312.380 | MAXFRAME(TM) BRIDGING PLATE FOR 5/8 RING 180MM/ALUMINUM | 1   | 10886982260871 | <br>(01)10886982260871 |
| 32 | 03.312.410 | MAXFRAME(TM) BRIDGING PLATE FOR 5/8 RING 210MM/ALUMINUM | 1   | 10886982260888 | <br>(01)10886982260888 |
| 33 | 03.312.590 | MAXFRAME(TM) 5/8 RING 90MM/ALUMINUM                     | 1   | 10886982260741 | <br>(01)10886982260741 |
| 34 | 03.312.620 | MAXFRAME(TM) 5/8 RING 120MM/ALUMINUM                    | 1   | 10886982260758 | <br>(01)10886982260758 |
| 35 | 03.312.650 | MAXFRAME(TM) 5/8 RING 150MM/ALUMINUM                    | 1   | 10886982260765 | <br>(01)10886982260765 |
| 36 | 03.312.680 | MAXFRAME(TM) 5/8 RING 180MM/ALUMINUM                    | 1   | 10886982260772 | <br>(01)10886982260772 |
| 37 | 03.312.710 | MAXFRAME(TM) 5/8 RING 210MM/ALUMINUM                    | 1   | 10886982260789 | <br>(01)10886982260789 |
| 38 | 03.312.810 | MAXFRAME(TM) QUICK ADJUST STRUT/X-SHORT                 | 6   | 10886982261014 | <br>(01)10886982261014 |

|                 |                                                                                                         |
|-----------------|---------------------------------------------------------------------------------------------------------|
| Set Code:       | 01.312.005E                                                                                             |
| Set Barcode:    | <br>(01)10886982278715 |
| Description:    | MAXFRAME(TM) SYSTEM LEAN SET EVAL                                                                       |
| Case Report ID: |                                                                                                         |

### Primary Tray

|    | Product #  | Product Desc.                                       | QTY | UDI-DI         | UDI Barcode                                                                                                 |
|----|------------|-----------------------------------------------------|-----|----------------|-------------------------------------------------------------------------------------------------------------|
| 39 | 03.312.811 | MAXFRAME(TM) QUICK ADJUST STRUT/SHORT               | 9   | 10886982261021 | <br>(01)10886982261021   |
| 40 | 03.312.812 | MAXFRAME(TM) QUICK ADJUST STRUT/MEDIUM              | 9   | 10886982261038 | <br>(01)10886982261038   |
| 41 | 03.312.813 | MAXFRAME(TM) QUICK ADJUST STRUT/LONG                | 3   | 10886982261045 | <br>(01)10886982261045   |
| 42 | 03.312.814 | MAXFRAME(TM) STANDARD STRUT/XX-SHORT                | 6   | 10886982261052 | <br>(01)10886982261052   |
| 43 | 03.312.815 | MAXFRAME(TM) STANDARD STRUT/X-SHORT                 | 9   | 10886982261069 | <br>(01)10886982261069  |
| 44 | 03.312.816 | MAXFRAME(TM) STANDARD STRUT/SHORT                   | 9   | 10886982261076 | <br>(01)10886982261076 |
| 45 | 03.312.817 | MAXFRAME(TM) STANDARD STRUT/MEDIUM                  | 9   | 10886982261083 | <br>(01)10886982261083 |
| 46 | 03.312.818 | MAXFRAME(TM) STANDARD STRUT/LONG                    | 6   | 10886982261090 | <br>(01)10886982261090 |
| 47 | 03.312.820 | MAXFRAME(TM) STRUT ID BAND SET                      | 2   | 10886982260987 | <br>(01)10886982260987 |
| 48 | 03.312.821 | MAXFRAME(TM) STRUT ID PLUG SET                      | 2   | 10886982260994 | <br>(01)10886982260994 |
| 49 | 03.312.830 | MAXFRAME(TM) SHOULDER BOLT FOR 8MM RINGS            | 40  | 10886982261007 | <br>(01)10886982261007 |
| 50 | 03.312.840 | MAXFRAME(TM) RADIOGRAPHIC MARKER                    | 2   | 10886982260956 | <br>(01)10886982260956 |
| 51 | 03.312.841 | MAXFRAME(TM) VERTICAL MOUNT FOR RADIOGRAPHIC MARKER | 2   | 10886982260963 | <br>(01)10886982260963 |

|                 |                                                                                                         |
|-----------------|---------------------------------------------------------------------------------------------------------|
| Set Code:       | 01.312.005E                                                                                             |
| Set Barcode:    | <br>(01)10886982278715 |
| Description:    | MAXFRAME(TM) SYSTEM LEAN SET EVAL                                                                       |
| Case Report ID: |                                                                                                         |

 **Primary Tray**

|    | Product #  | Product Desc.                                 | QTY | UDI-DI         | UDI Barcode                                                                                                 |
|----|------------|-----------------------------------------------|-----|----------------|-------------------------------------------------------------------------------------------------------------|
| 52 | 03.312.851 | 10 N*M TORQUE WRENCH                          | 2   | 10886982261144 | <br>(01)10886982261144   |
| 53 | 03.312.950 | Ã~ 3.5MM DRILL BIT                            | 1   | 10886982261151 | <br>(01)10886982261151   |
| 54 | 03.312.953 | 7.0/6.0MM DRILL SLEEVE LONG                   | 2   | 10886982261113 | <br>(01)10886982261113   |
| 55 | 03.312.954 | 7.0/6.0MM DRILL SLEEVE EXTRA LONG             | 2   | 10886982261120 | <br>(01)10886982261120   |
| 56 | 294.48     | 4.0MM SCHANZ SCREW SPADE POINT 150MM          | 8   | 10886982181480 | <br>(01)10886982181480  |
| 57 | 294.56     | 5.0MM SCHANZ SCREW BLUNTED TROCAR POINT 200MM | 8   | 10886982181572 | <br>(01)10886982181572 |
| 58 | 294.68     | 6.0MM SCHANZ SCREW SPADE POINT 190MM          | 8   | 10886982181657 | <br>(01)10886982181657 |
| 59 | 304.459    | LONG CONNECTION BOLT RACK                     | 2   | 10886982183965 | <br>(01)10886982183965 |
| 60 | 310.21     | 2.0MM DRILL BIT/QC/125MM                      | 2   | 10886982186188 | <br>(01)10886982186188 |
| 61 | 355.87     | 3.5MM TROCAR                                  | 2   | 10886982195210 | <br>(01)10886982195210 |
| 62 | 355.88     | 5.0MM/3.5MM DRILL SLEEVE                      | 2   | 10886982195227 | <br>(01)10886982195227 |
| 63 | 355.89     | 6.0MM/5.0MM DRILL SLEEVE                      | 2   | 10886982195234 | <br>(01)10886982195234 |
| 64 | 390.005    | LARGE EX-FIX COMBINATION CLAMP MR-CONDITIONAL | 3   | 10886982197825 | <br>(01)10886982197825 |

|                 |                                                                                                         |
|-----------------|---------------------------------------------------------------------------------------------------------|
| Set Code:       | 01.312.005E                                                                                             |
| Set Barcode:    | <br>(01)10886982278715 |
| Description:    | MAXFRAME(TM) SYSTEM LEAN SET EVAL                                                                       |
| Case Report ID: |                                                                                                         |

 Primary Tray

|    | Product #  | Product Desc.                                 | QTY | UDI-DI         | UDI Barcode                                                                                                 |
|----|------------|-----------------------------------------------|-----|----------------|-------------------------------------------------------------------------------------------------------------|
| 65 | 392.956    | 4.0MM/2.5MM DRILL SLEEVE- LONG                | 2   | 10886982198853 | <br>(01)10886982198853   |
| 66 | 393.101    | DRIVE ADAPTOR WITH QC FOR 4.0MM SCHANZ SCREWS | 2   | 10886982198990 | <br>(01)10886982198990   |
| 67 | 393.104    | DRIVE ADAPTOR WITH QC FOR 6.0MM SCHANZ SCREWS | 2   | 10886982199027 | <br>(01)10886982199027   |
| 68 | 394.184    | 2.5MM TROCAR-LONG                             | 2   | 10886982199652 | <br>(01)10886982199652   |
| 69 | 394.991    | PROTECTIVE CAPS FOR 4.0MM FIXATION PINS       | 1   | 20886982200027 | <br>(01)20886982200027  |
| 70 | 394.994    | PROTECTIVE CAPS FOR 6.0MM FIXATION PINS       | 1   | 20886982200089 | <br>(01)20886982200089 |
| 71 | 395.931    | 4.0MM THREADED DRILL SLEEVE- LONG             | 2   | 10886982200952 | <br>(01)10886982200952 |
| 72 | 61.312.001 | MAXFRAME(TM) IMPLANTS/INSTR CASE 1            | 1   | 10886982262318 | <br>(01)10886982262318 |
| 73 | 61.312.002 | MAXFRAME(TM) IMPLANTS/INSTR CASE 2            | 1   | 10886982262325 | <br>(01)10886982262325 |
| 74 | 61.312.003 | MAXFRAME(TM) IMPLANTS/ QUICK ADJUST STRUTS    | 1   | 10886982262387 | <br>(01)10886982262387 |
| 75 | 61.312.004 | MAXFRAME(TM) IMPLANTS/ STANDARD STRUTS        | 1   | 10886982262394 | <br>(01)10886982262394 |
| 76 | 61.312.005 | MAXFRAME (TM) RINGS 90MM & 120MM              | 1   | 10886982262332 | <br>(01)10886982262332 |
| 77 | 61.312.006 | MAXFRAME(TM) FULL RINGS 150MM/180MM/210MM     | 1   | 10886982262356 | <br>(01)10886982262356 |

|                 |                                                                                                         |
|-----------------|---------------------------------------------------------------------------------------------------------|
| Set Code:       | 01.312.005E                                                                                             |
| Set Barcode:    | <br>(01)10886982278715 |
| Description:    | MAXFRAME(TM) SYSTEM LEAN SET EVAL                                                                       |
| Case Report ID: |                                                                                                         |

 Primary Tray

|    | Product #  | Product Desc.                                             | QTY | UDI-DI         | UDI Barcode                                                                                                 |
|----|------------|-----------------------------------------------------------|-----|----------------|-------------------------------------------------------------------------------------------------------------|
| 78 | 61.312.007 | MAXFRAME(TM) IMPLANTS/INSTR CASE 3                        | 1   | 10886982263070 | <br>(01)10886982263070   |
| 79 | 61.312.008 | MAXFRAME(TM) 5/8 & BRIDGING PL<br>150MM/180MM/210MM       | 1   | 10886982262363 | <br>(01)10886982262363   |
| 80 | 61.312.011 | MAXFRAME(TM) LABEL SHEET                                  | 1   | 10886982262400 | <br>(01)10886982262400   |
| 81 | 61.312.012 | MAXFRAME(TM) FOOT PL LONG<br>120MM/150MM/180MM/210MM      | 1   | 10886982262417 | <br>(01)10886982262417   |
| 82 | 61.312.013 | MAXFRAME (TM) FOOT PL SHORT 120MM,<br>150MM, 180MM, 210MM | 1   | 10886982262349 | <br>(01)10886982262349  |
| 83 | 61.312.014 | MAXFRAME(TM) SHOULDER BOLT RACK                           | 4   | 10886982263148 | <br>(01)10886982263148 |